


AXH54002

ASSEMBLY INSTRUCTION

Page
1/5




PACKING LIST:

ITEM PARTS	Q'ty	U/M
P1. Table top	1	PC
P2. Legs	4	PCS
P3. Leaf	3	PCS
P4. Wooden Lock (Small)	2	PCS
P5. Wooden Lock (Large)	2	PCS
HARDWARES		Q'ty U/M
A. Steel Hexagonal bolt & Washer	8	PCS
B. Steel allen open wrench	1	PC

INSTRUCTIONS :

1. Turn The table top (P1) backside down and put it on a soft face (it may be carton sheet free from debris) that may cause damage to the item .
2. Assemble the legs (P2) to the table top (P1) then insert steel hexagonal bolt & washer , use steel open wrench and turn clock wise direction to tightend them .
Refer detail 'A'.
3. Turn the table upright . Item ready to use .
(Adjust glider for the table levelling if necessary).
Refer detail 'B'




Drawn by : D.Thanh
Date: NOV 12 ,2019

AXH54002


ASSEMBLY INSTRUCTION

Page
2/5


Add Table leaves instruction




Step 1:
Unlock all the lock
then extend the table
top to the stopper



Detail 'A'



Step 2:
Remove the Wooden Lock (Small), under the table top, then
slowly turn the center leg support down **Refer detail 'A'**
After that, insert the Wooden Lock (Large) to fixed the center leg
Refer detail 'B'




Detail 'B'

Drawn by : D.Thanh
Date: Nov 12, 2019


AXH54002

ASSEMBLY INSTRUCTION

Page
3/5



Step 3:
Insert all the leaves onto the sliding rail



Step 4:
Close the top panel then
fixed the table leaf by using
all the locks


Drawn by : D.Thanh
Date: Nov 12, 2019

AXH54002


ASSEMBLY INSTRUCTION

Page
4/5

Remove Table
leaves instruction



Step 1:
Unlock all the lock then extend the
table top to the stopper





Step 2:
Lift all the leaves up

Drawn by : D.Thanh
Date: Nov 12, 2019

AXH54002


ASSEMBLY INSTRUCTION

Page
5/5



Step 3:
Turn all the center leg supports up and adding wooden lock Refer detail 'A' , 'A1'

Slide all the table top back to the stopper
Lock all the locks under the table top
Refer detail 'B'



Step 4:
Close the top panel then fixed the table top by close all the lock